

Material Safety Data Sheet

1. PRODUCT AND COMPANY IDENTIFICATION

Product Description: Surface Mount Devices
 Package: SC-70
 Creation date: April 09, 2014
 Revision: 0
 Responsible Section: QA & R Department
 Manufacturer: LESHAN RADIO COMPANY,LTD.
 Address: 287 West People Road, Leshan, Sichuan, China
 Phone: +86-833-2150309

2. Product Chemical Content/Compound

Total Component Weight: 6.0 mg

Component	Material	Estimated Avg Weight (mg)	Substance in Material	Estimated Avg Weight(mg)	Content	CAS No.
Molding Compound	Epoxy Resin	3.7	Solid Epoxy Resin	0.444	12.00%	29690-82-2
			Phenol Resin	0.296	8.00%	9003-35-4
			Fused Silica	2.486	67.20%	60676-86-0
			Carbon Black	0.030	0.80%	1333-86-4
			Aluminium hydroxide	0.444	12.00%	21645-51-2
Lead Frame	Alloy42	2.08	Copper(Cu)	0.183	8.80%	7440-50-8
			Iron(Fe)	1.100	52.90%	7439-89-6
			Nickel(Ni)	0.797	38.30%	7440-02-0
Die	Si	0.1	Silicon(Si)	0.100	100.00%	7440-21-3
Plating Layer	Sn	0.11	Tin(Sn)	0.110	100.00%	7440-31-5
Wire Bond	Cu	0.01	Copper(Cu)	0.010	100.00%	7440-50-8

3. Summary of Hazardous Substances

- Ingredients of this product don't contain Paraformaldehyde, Organic tin compound, Azocompounds, TBBPA, PFOS.

4. Medical Emergency

N/A

5. Fire Precautions

N/A

6. Measures for Leakage

N/A

7. Handling and Storage

Handling:

- Handle with care to protect products from shock-induced breakage;
- Unpack products in clean room. Do not handle with bare hands.

Storage:

- Store at room temperature $T_{stg}=25\pm 5^{\circ}\text{C}$;
- Store at room humidity $30\%\leq RH\leq 70\%$.

8. Product Protection

- ESD packing, Same polarity alignment and prevention of exposure/distortion.

9. Physical/Chemical Properties

- Black solid material

10. Stability and Reactivity

- Stable and Non-reactivity.

11. Toxicity Information

- No data available.

12. Environmental Impact Information

- Harmless to environment.

13. Disposal of Product

- Disposal of product must conform to disposal regulations and restrictions by local government.

14. Transportation of Product

- As the product is likely to be damaged by ESD and distortion, use cushioning and antistatic material for transport packaging. When loading, to keep the cargo from breakage by collapse.

15. Regulatory Information

Suitable Regulation:

- Ingredients of this product are compliant with RoHS requirement.

16. Other

Even though we provide this MSDS based on the latest materials/information/data available during the creation, we cannot guarantee to its completeness and accuracy due to the fact that the data has been compiled based on the ranges provided and some information that may not have been provided by the raw material suppliers to protect their business proprietary information. Based on the above considerations, this information is provided only as estimates of the average weight of these parts and the anticipated significant toxic metals components. These estimates do not include trace levels of dopants and metal materials contained within silicon devices in the finished products. This MSDS is supplied for informational provision only and we cannot be held responsible for any details in this document. For your safety and keeping qualities of product, please give special attention to the treatment of product.